

ARP 483928N 0171947E

620 ft (189 m)

BRATISLAVA
INFO (WEST)
124.300

SENICA TRAFFIC
123.605

ŠTEFÁNIK RADAR
134.930


RWY	12L/30R	12R/30L
	1 080 m	1 080 m

+421/903/46 18 53
Záhorácky aeroklub Senica
Železničná 344
905 01 SENICA
Slovak Republic
zahumensky.r@gmail.com
www.ak-senica.sk


VFR
day

Circling:
1 000 ft (300 m) AGL

AD available only with
permission of the AD
operator.
O/R 24 HR PN



Last change: SECTOR FIS EAST and SECTOR FIS WEST established



LZSE SENICA

ARP 483928N 0171947E

620 ft (189 m)

SENICA TRAFFIC 123,605						
RWY	MAG direction	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Strength
12L	111°	1 080	1 140	1 080	1 080	15 000 kg/1,2 MPa
30R	291°	1 080	1 140	1 080	1 080	15 000 kg/1,2 MPa
12R	111°	1 080	1 140	1 080	1 080	5 700 kg/0,25 MPa
30L	291°	1 080	1 140	1 080	1 080	5 700 kg/0,25 MPa



All the year, snow clearance is not provided.

O/R

20 beds at the AD. Hotels in the town Senica.

NIL

NIL

Emergency call: 112
Hospital in the town Senica.

In the town Senica.

O/R

1. Local traffic regulations

Aerodrome traffic circuits: RWY 30L and 30R to the right, 12L and 12R to the left.

Winch launching: RWY 30L to the right, RWY 12R to the left.

Parallel operations on RWY: not applicable.

Operation on aerodrome traffic circuits

When operating on aerodrome traffic circuits, the area east up to 2 km from the airport or up to the city limits of Senica is used, i.e. for RWY 30 these are right circuits and for RWY 12 left circuits so that flying over built areas is minimized in accordance with the provisions of regulation L 2 or Commission Implementing Regulation (EU) No. 923/2012 of 26 September 2012 with regard to internal noise restrictions.

2. Charges

NIL

3. Additional Information

Other subjects operating at the aerodrome:

Flight School and Skydiving: Aeroklub Senica - www.ak-senica.sk